


Technology that **generates trust**

Car engine oil







LUBRICANTS FOR PASSENGER CAR

WORLD-CLASS LUBRICANTS LEADING GLOBAL COMPANY

Vistony Group, a company with global experience specialized in the **manufacture, marketing and distribution of motor oils, greases and complementary products in the automotive and industrial sectors.**

Our global commercial presence and more than 30 years of experience consolidate us as leaders in the sector. Always in the top five in the markets in which we participate, we offer reliable and efficient products that exceed expectations. With **Vistony**, you get optimal performance and assured durability for your equipment.





DESIGNED TO THE ROUTES OF ASIA



Ready to challenge the established leadership, we offer cutting-edge technology and a wide range of products designed exclusively for India's demanding automotive and industrial market. With advanced technology and a commitment to quality, we are ready to compete with renowned brands. Our state-of-the-art lubricants ensure optimum performance and superior protection for the most demanding engines. Join us in this lubrication revolution and discover a new era of excellence in the care of your equipment.



CUTTING-EDGE TECHNOLOGY

Our lubricant production plant has world-class equipment and technology, guaranteeing the highest quality in each product. With a large storage and production capacity, we are prepared to meet the most demanding market requirements. From design to distribution, our commitment to excellence drives every step of our manufacturing process. Trust us for the world-class lubricants.



OUR TECHNOLOGY DEVELOPMENT



Listoil lubricants stand out for their high technology, offering innovative solutions for the care of engines and machinery. With formulas such as Chain Polymer Technology, Listoil guarantees exceptional performance, protecting equipment even in the most demanding conditions. Listoil is a global brand that guarantees the efficiency and good performance of your engine.


Chain Polymer Technology is an advanced formulation designed specifically for modern full synthetic engine oils, catering to the demanding requirements of today's high-performance vehicles. This cutting-edge technology offers exceptional

protection and performance, ensuring your vehicle's engine operates at its peak efficiency.

At the heart of Chain Polymer Technology lies a unique molecular structure that forms a robust, yet flexible chain-like network. This innovative design allows the engine oil to maintain its optimal viscosity across a wide range of temperatures, from extreme cold to scorching heat. By mitigating the thinning or thickening effects of temperature fluctuations, the oil's flow characteristics remain consistent, ensuring optimal lubrication and protection for critical engine components.

Moreover, Chain Polymer Technology enhances the oil's resistance to shear stress, a common issue faced by conventional lubricants under high-pressure conditions. This remarkable property translates into extended oil change intervals, reducing maintenance costs and minimizing environmental impact.

Engineered to combat wear and tear, Chain Polymer Technology incorporates advanced anti-wear additives that form a protective barrier on metal surfaces, shielding them from excessive friction and abrasion. This protective layer not only extends the lifespan of engine components but also contributes to improved fuel efficiency by reducing internal friction losses.




**FULL
SYNTHETIC OIL**



ATTOM S310

SAE 5W-30



Premium 100% SYNTHETIC lubricant for light duty diesel and petrol engines. Developed with Chain Polymer technology that maintains viscosity at extreme temperatures. ATTOM S310 SAE 5W-30 Improved the protection against wear, rust, corrosion, soot handling and sludge control also gives extended oil drain interval (ODI).

SPECIFICATIONS:

- API SN
- ACEA A5/B5
- RN700

APPLICATION:

Petrol, CNG / LPG and light-duty diesel vehicles requiring a 5W-30 grade lubricating oil complying with API SN.

PROPERTIES

- Allows an easy start at low temperature, protecting from the start of the engine due to the rapid fluidity at the time of start.
- Resistance to degradation and oxidation due to its ability to withstand sudden changes in temperature, allowing it to maintain its thermal stability and a long service life.

P

1L

3.5L

50L

210L




**FULL
SYNTHETIC OIL**



ATTOM S310

SAE 5W-40



Premium 100% SYNTHETIC lubricant for light duty diesel and petrol engines. Developed with Chain Polymer technology that maintains viscosity at extreme temperatures. ATTOM S310 SAE 5W-40 Improved the protection against wear, rust, corrosion, soot handling and sludge control also gives extended oil drain interval (ODI).

SPECIFICATIONS:

- API SN
- ACEA A3/B4
- MB 229.3
- VW 50200/50500
- Porsche A40
- RN7 10/700
- BMW LL-01
- PSA B712296

APPLICATION:

Petrol and light-duty diesel vehicles requiring a 5W-40 grade lubricating oil complying with API SN.

PROPERTIES

- Allows an easy start at low temperature, protecting from the start of the engine due to the rapid fluidity at the time of start.
- Resistance to degradation and oxidation due to its ability to withstand sudden changes in temperature, allowing it to maintain its thermal stability and a long service life.

P 3.5L




**FULL
SYNTHETIC OIL**



ATTOM S310

SAE 10W-40



Lubricating oil with 100% SYNTHETIC technology, for all types of modern high-efficiency petrol engines, also designed for engines with direct injection (DI) or turbocharged direct injection (TDI). ATTOM S310 SAE 10W-40 Improves the protection against wear, rust, corrosion, soot handling and sludge control also gives extended oil drain interval (ODI).

SPECIFICATIONS:

- API SN
- ACEA A3/B4
- MB 229.3
- VW 50200/50500
- RN700

APPLICATION:

Petrol and light-duty diesel vehicles requiring a 10W-40 grade lubricating oil complying with API SN.

PROPERTIES

- Proven feature of cleaning and preventing deposits from carbon build-up on pistons and intake valves in direct injection and modern engines.
- Excellent anti-wear protection due to its synthetic formulation, allowing a longer useful life with a longer change period, compared to conventional oils.
- Exceptional protection against oil oxidation and high temperature viscosity degradation.

P

1L

3.5L

50L




**FULL
SYNTHETIC OIL**



ATTOM S300

SAE 0W-20



100% SYNTHETIC motor oil designed to provide maximum protection and prolong performance and efficiency for all types of modern high-performance petrol vehicle engines. ATTOM S300 SAE 0W-20 Improved the protection against wear, rust, corrosion, soot handling and sludge control also gives extended oil drain interval (ODI).

SPECIFICATIONS:

- API SN
- ILSAC GF-5

APPLICATION:

Petrol and CNG / LPG vehicles requiring a 0W-20 grade lubricating oil complying with API SN.

PROPERTIES

- Designed to provide maximum protection and prolong engine performance and efficiency in modern vehicles.
- Effective cleaning, the detergent action reduces the formation of varnish and sludge, keeping the engine free of sediment and extending the useful life of the engine.
- Resistance to degradation and oxidation due to its thermal stability, allowing protection to be extended between change periods.
- Its synthetic characteristic and viscosity grade contribute to the reduction of fuel consumption.
- It has an excellent ability to flow at low temperatures, reducing the time and wear of the engine elements.

P

3.5L



**SYNTHETIC-TECHNOLOGY
ENGINE OIL**



SYTKOIL S200

SAE 5W-30



Synthetic technology engine oil designed to provide maximum protection and efficiency for all types of modern high performance petrol & diesel vehicles engines.

SYTKOIL S200 SAE 5W-30 improve the protection against wear, rust, corrosion, soot handling and sludge control.

SPECIFICATIONS:

- API SN/CF

APPLICATION:

Petrol & Diesel vehicles requiring a 5w-30 grade lubricating oil complying with API SN / CF.

PROPERTIES

- Allows an easy start at low temperature, protecting from the start of the engine due to the rapid fluidity at the time of start.
- Resistance to degradation and oxidation due to its ability to withstand sudden changes in temperature, allowing it to maintain its thermal stability and a long service life.



**PASSENGER CAR
ENGINE OIL**



BLINDAX CLASS

SAE 20W-50



Good quality multigrade lubricant specially formulated with Chain Polymer Technology that maintains viscosity at high temperatures, contains a low ash content that guarantees less oxidation and nitration.

BLINDAX CLASS SAE 20W-50 provides better engine performance and protection.

SPECIFICATIONS

- Meets the quality levels required by the manufacturer API SG/CD and previous specifications.

APPLICATION:

Petrol, CNG / LPG and light-duty diesel vehicles requiring a 20W-50 grade lubricating oil complying with API SG / CD.

PROPERTIES

- Motor protection at extreme temperatures.
- Maintains good viscosity (VI) at high temperatures.
- Minimizes the formation of metallic carbon deposits.
- Protects the engine for long periods.





**LUBRICATION
TECHNOLOGY**



LISTOIL[®]
LUBRICATION TECHNOLOGY

CONTACT US



01493-250007

E-mail: customercare.india@listoil.com

www.listoil.com



VISTONY INDIA PVT. LTD.

Riico Industrial Area Khushkhera Bhiwadi
Alwar - Rajasthan 301707